

	BBL	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
DeltaGoldCup	5.00"	53	53	53					53	53		53	53													
GoldCupNt'lMatch	5.00"	53	53	53					53	53		53	53													
Government.380	3.25"																									
Government1911	5.00"	53	53	53					53	53		53	53				53	53								
CZ		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
75,85	4.50"											90	90													
75 P-01	3.80"											290	290													
EAA		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"											90	90													
FN		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
Five-Seven	4.80"											61	61													
FNP-9/Browning PRO-9	4.00"											260	260													
FNP-45	4.50"											261	261													
Glock		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
17,17C,22,22C,31	4.50"	83	83	83	83	83			83	83	83	83	83			83	83	83		83	83	83	83	83	83	83
17MB & 22MB, Dual Mag release	4.50"											83	83													
19,19C,23,23C,25,32	4.00"	83	83	83	83	83			83	83	83	283	283				83	83		83	83	83	83			
20,20C,21,21C	4.60"	383	383	383	383	383			383	383	383	383	383				383	383		383	383	383	383			
21SF w/STD Glock Rails	4.60"	383	383	383	383	383			383	383	383	383	383				383	383		383	383	383	383			
21SF w/Picatinny Rails	4.60"	383	383	383								383	383													
26,27,33,28	3.50"											283														
29,30	3.78"				383	383																				
34,35	5.32"		683						683		683	683	683				683	683		683	683	683	683			
36	3.75"											283	283													
37	4.50"				383	383			783	783		783	783										383	383		
38	4.0"																						383	383		
Heckler&Koch		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
P7	4.10"											82	82													
P7M8	4.10"		82	82								82	82													
P7M13	4.10"		82	82								82	82													
P30	3.78"											295	295													
P2000	3.5"															97	97	97								
P2000 European Version w/light mount frame	3.62"											97	97													
P2000 European Version and US Version w/light mount frame	3.50"											97	97										97	97		
US Version P2000 DAO (bobbed hammer)	3.50"											297	297													
US Version P2000 SC DAO (bobbed hammer)	3.25"											297	297													
USP 9C	4.25"																291	291								
USP9,40	4.13"	91	91	91					91			93	93													
USP9C,40C	3.58		291						291			291														
USP45	4.41"		93						93	93		93	93										93	93		

Part 1 Duty Holsters-Pistols

	BBL	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
USP45Compact.45ACP	3.8"								293	293		293														
USP40, Expert	5.20"											96	96													
HSAmerica		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
HS2000 9MM, 40, 357	4.00"											148	148													
Kimber		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
KIP45CUS	5.00"	53	53	53					53	53		53														
PROCarry1911	5.00"								52																	
Gold Combat RL II, Warrior (w/light rail)	5.00"											56	56				56	56								
ParaOrdance		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
14.45LDA	5.00"	53	53	53					53	53		53	53													
14.45LDALTD	5.00"	53	53	53					53	53		53	53													
14.45LDALTDSS	5.00"	53	53	53					53	53		53	53													
14.45LDASS	5.00"	53	53	53					53	53		53	53													
16.40LDALTD	5.00"	53	53	53					53	53		53	53													
16.40LDALTDSS	5.00"	53	53	53					53	53		53	53													
18.9LDA	5.00"	53	53	53					53	53		53	53													
18.9LDASS	5.00"	53	53	53					53	53		53	53													
7.45LDA	5.00"	53	53	53					53	53		53	53													
7.45LDALTD	5.00"	53	53	53					53	53		53	53													
7.45LDALTDSS	5.00"	53	53	53					53	53		53	53													
7.45LDASS	5.00"	53	53	53					53	53		53	53													
P13-45	4.25"		51						51																	
P13-45LTD	4.25"		51						51																	
P13-45LTDSS	4.25"		51						51																	
P13-45SS	4.25"		51						51																	
P14-45	5.00"	53	53	53					53	53		53	53													
P14-45LTD	5.00"	53	53	53					53	53		53	53													
P14-45LTDSS	5.00"	53	53	53					53	53		53	53													
P14-45SS	5.00"	53	53	53					53	53		53	53													
P16-40	5.00"	53	53	53					53	53		53	53													
P16-40LTDSS	5.00"	53	53	53					53	53		53	53													
P16-40SS	5.00"	53	53	53					53	53		53	53													
P18-9	5.00"	53	53	53					53	53		53	53													
Ruger		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
KP89	4.50"	67	67	67					65																	
KP89DAO	4.50"	67	67	67	65				65																	
KP89DAOW	4.50"	67	67	67	65				65																	
KP89DC	4.50"	67	67	67					65																	
KP89DW	4.50"	67	67	67					65																	
KP89W	4.50"	67	67	67					65																	
KP90	4.50"	67	67	67					67																	
KP90DC	4.50"	67	67	67					67																	
KP90DW	4.50"	67	67	67					67																	
KP90W	4.50"	67	67	67					67																	
KP91DAO	4.50"	67	67	67					67																	
Ruger		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
KP91DC	4.50"	67	67	67					67																	
KP93	3.875"		69		68	68																				

	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
KP94,KP944W,KP944DW	4.25"		69									69														
KP944DAOW,KP944	4.25"		69									69														
KP944DC,KP944DAO	4.25"		69									69														
KP94DAO	4.25"		69																							
KP94DC	4.25"		69									69														
P345	4.00"		69	69								69	69													
P85	4.50"	67	67	67					65																	
P89	4.50"	67	67	67					65																	
P89DC	4.50"	67	67	67					65																	
P89W,P89DW	4.50"	67	67	67					65																	
P90.45CAL.	4.50"	67	67	67					67																	
P90DC	4.50"	67	67	67					67																	
P91DAO	4.50"	67	67	67					67																	
P91DC	4.50"	67	67	67					67																	
P95D,KP95D	4.25"		69																							
P95DAO,KP95DAO	4.25"		69		68	68																				
SigSauer		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"	77	77	77					77	77	77	77	77				77	77		777	777	77	77			
P220ST StainlessSteel P220R, P220S, P226R P226S, P226SO with Accessory Rails DASA	4.41"	77	77	77					777	777		77	77				774	774		774	774	77	77			
P220afterS/NG158180(widetriggerguard)	4.41"								777	777																
P225	3.90"	74	74	74					79	79	74	74	74				79	79								
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"		277	277					1774	1774		277	277			774	774	774								
P226DAO,P220DAO	4.41"	77	77	77	177				777	777	77	77	77				77	77								
P226afterS/N365426(widetriggerguard)	4.41"								777	777																
P220R Compact	3.75"											74	74							774	774					
P228	3.90"	74	74	74					74	74	74	74	74			74	74	74		74	74					
P229	3.90"	74	74	74					74	74	74	74	74			74	74	74		74	74					
P229R DASA spurred hammer w/light rails	3.90"		744	744					744	744	74	74	74			744	744	744		744	744	744	744			
P229R DAK bobbed hammer w/light rails	3.90"								1744	1744		174	174			744	744	744		744	744	744	744			
P239 (will only fit 9mm as of manufactured date 4603)	3.625"		75						75	75		75	75													
P239 caliber 40 & 357	3.625"		75						754	754		75	75													
SIGProSP2340,2009	3.875"		78	78					78	78		78	78								78	78	78	78		
SIGPro SPC2009-wlightmountrails	3.50"											278	278													
P2022spurred hammer	3.87"											278	278													
Sig Arms GSR Revolution 1911	5.00"											256	256													

	BBL.	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955
Smith&Wesson		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955
39	4.00"	140	140	140					18	18															
59	4.00"	140	140	140					18	18															
410	4.00"	19	19																						
411	4.00"	140	140	140					140	140															
439	4.00"	140	140	140					18	18															
459	4.00"	140	140	140					18	18															
469	3.50"	20	20						20																
639	4.00"	140	140	140					18	18															
645	5.00"	23	23							23		210	210												
659	4.00"	140	140	140					18	18															
669	3.50"	20	20						20																
909	4.00"		19																						
910	4.00"		19																						
915	4.00"	140	140	140					18																
1006	5.00"	210	210	210					210	210		210	210												
1026	5.00"	210	210	210					210	210															
1066	4.25"		410						315	315															
1076	4.25"		310						310	310															
1086	4.25"		410						410	410															
3904	4.00"	140	140	140					18	18															
3906	4.00"	140	140	140					18	18															
3913	3.50"	20	20						20																
Smith&Wesson		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955
3953	3.50"	240	240	240	420				218	218															
4006	4.00"	140	140	140					140	140	140	140	140								140	140	140	140	
4013	3.50"		423						540																
4026	4.00"	140	140	140					140	140															
4043	4.00"																								
4046	4.00"	240	240	240	440				240	240		140	140								140	140	140	140	
4053	3.50"		410						340			340													
4506	5.00"	23	23						23	23		210	210												
4526	5.00"	210	210	210					210	210		210													
4536	3.75"		423																						
4556	3.75"		410																						
4566	4.25"		410						315	315			210												
4576	4.25"		310						310	310															
4586	4.25"		410						410	410		210													
5903	4.00"	140	140	140					18	18	140	140	140								18	18			
5904	4.00"	140	140	140					18	18	140	140	140								18	18			
5923	4.00"	140	140	140					18	18															
5924	4.00"	140	140	140					18	18															
5926	4.00"	140	140	140					18	18															
6904	3.50"	20	20						20				20												
6924	3.50"	20	20						20				20												
6926	3.50"	20	20						20				20												
39533954	3.50"	240	240	240	420	420			218	218	321														
3913LS	3.50"	20	20						20																
3913NL	3.50"	20	20						20																
3913TSWw/olightmnt	3.50"	20	20																						

	BBL	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
3914LS	3.50°	20	20						20																	
3953TSW	3.50°	240	240	240	420																					
3953TSWw/olightmnt	3.50°	240	240	240	420	420																				
4006TSW w/PICATINNY Rails, 4006TSW w/STD. Rails BOBBED HAMMER ONLY	4.00°								141	141		141	141													
4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046T SW(with rails)	4.00°		140						520	520		140	140													
4013TSWw/olightmnt	3.50°	20	20									20														
4053TSWw/olightmnt	3.50°	240	240	240	420																					
4056TSWw/olightmnt	3.50°	240	240	240	420																					
4506-1	5.00°	210	210	210					210	210		210	210													
Smith&Wesson		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
4513TSWw/lightrails	3.50°								423																	
4513TSWw/olightmnt	3.50°		423						423																	
4516-1Ver.II.4516-2	3.75°		423						423																	
4553TSW (6-1/2" Over All Slide Length) <u>N/A</u> for size 6-3/4" Over All Slide Length	3.75°								610	610																
4553TSWw/olightmnt	3.50°		410						410	410																
4563TSW,4566TSW,45 83TSW,4586TSW(with rails)	4.25°								430			210	210													
5903TSW,5906TSW (manufacturing date of 4603) ,5943TSW,5946TSW(wi th rails)	4.00°		140						520	520		140	140													
5906lgrtriggrd	4.00°	140	140	140					18	18																
5906shrttriggrd	4.00°	140	140	140					18	18	140	140	140								18	18				
5943shrttriggrd	4.00°	240	240	240	420	420			18	18		140	140													
5944shrttriggrd	4.00°	240	240	240	420	420			18	18		140	140													
5946lgrtriggrd	4.00°	240	240	240					218	218																
5946shrttriggrd	4.00°	240	240	240	420	420			218	218		140	140								18	18				
6906lgrtriggrd	3.50°	20	20																							
6906shrttriggrd	3.50°	20	20						20			20														
6944shrttriggrd	3.50°	240	240	240	420	420			218	218																
6946lgrtriggrd	3.50°	240	240	240					218	218																

	BBL	2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
6946shrttriggrd	3.50"	240	240	240	420	420			218	218																
Sigma40,9mm	4.50"	40	40	40	40				40		40	40	40													
Smith&Wesson		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
Sigma9C,40C,40V,9V,9E	4.00"		39		40				40		40	40	40													
Sigma9F,40F	4.50"	40	40	40	40				40		40	40	40													
Smith&Wesson		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
SW99 9mm & .40	4.00"		84	84					84			84	84				84	84		84	84					
SW99 45ACP	4.25"											86	86													
SW M&P 9mm & .40	4.50"								219	219							219	219								
SW M&P 9C	3.375																									
1911	5.00"																53	53								
1911 w/ Tactical Rails	5.00"																56	56								
Sphinx		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
3000 cocked and locked or with hammer down	3.75"											182	182													
3000 cocked and locked or with hammer down	4.50"											182	182													
SpringfieldArmory		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
Model1911-A1	5.00"	53	53	53					53	53		53	53				53	53								
Operator1911-A1	5.00"								56	56		56	56				56	56								
Model XD	5.00"																									
XD-45, XD-9, XD-40, XD-357	4.00"											148	148													
XD 9mm, .40, & .45	4.00"																148	148								
XD 9, 40, 45 and .357	5.00"											149	149													
STI/SVI		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
1911 with rails	5.00"											56	56													
1911 without rails	5.00"																53	53								
STI Tactical	5.00"											56	56													
Steyr		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
M40	4.00"											98	98													
Taser International		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
Advanced Taser M26							63	63				63	63	63	63											
X26							64	64				64	64	64	64											
Taurus		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
24/7 w/accy rails	4.00"		39		40							40	40													
PT92, PT99C	5.00"	73	73	73					73	73																
PT99	5.00"	73	73	73					73	73																
PT99C	4.00"	73	73	73					73	73																
PT92C	4.00"	73	73	73					73	73																
Walther		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
P5	3.50"		87									87	87													
P99	4.00"		84	84					84			84	84			84	84	84								
P99QA												84	84			84	84									
Wilson		2	200	2005	295	2955	519	520	070	0705	284	6280	6285	6287	6288	6351	6360	6365	6520	6070	6075	6270	6275	6295	62955	
1911 CQB w/light rail	5.00"											56	56													

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur.

Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges any user of this information to personally check for holster/handgun compatibility using the actual product.